







2026

MISSION KING OF THE BAGGERS CLASS

**NUMBER AND MOTORCYCLE LOGO GUIDELINE. RIDER SUIT AND
CREW SHIRT REQUIREMENTS COMPETITOR BULLETIN**



* minimum stroke is 0.75" (20mm)
 ** minimum space between numbers is 0.40" (10mm)



2.75" (70mm)
minimum

4.75" (120mm)
minimum

00

* minimum stroke is 0.75" (20mm)
** minimum space between numbers is 0.40" (10mm)

2.5" (63mm)
minimum



4" (101mm)



4" (101mm)

2.5" (63mm)
minimum

2.5" (63mm)
minimum




12" (305mm)

5.5" (140mm)
minimum

D
U
N
L
O
P


1.67" (42mm)



0.75" (26mm)
minimum




5.5" (140mm)
minimum




* minimum stroke is 0.75" (20mm)

** minimum space between numbers is 0.40" (10mm)



2.75" (70mm)
minimum




4.75" (120mm)
minimum




00

* minimum stroke is 0.75" (20mm)
** minimum space between numbers is 0.40" (10mm)

2.5" (63mm)
minimum



4" (101mm)





4" (101mm)

2.5" (63mm)
minimum




2.5" (63mm)
minimum




12" (305mm)

5.5" (140mm)
minimum



***D
U
N
L
O
P***



1.67" (42mm)



RIDER SUIT

SERIES PARTNER: 4.5" X 1.7"


MOTOAMERICA: 4" X 2"

DUNLOP (FRONT): 4.82" X 1"

DUNLOP (REAR): 10" X 2.03"

AMA/FIMNA: 5" X 1.22"

*The series partner requirements will be released if required.
All teams must leave this space available.



TEAM SHIRT

LOGOS ARE REQUIRED FOR COMPETITION

SERIES PARTNER*: 4.5" X 1.75"

MOTOAMERICA SERIES LOGO 4" X 2" DUNLOP

(FRONT): 4.82" X 1"

*The series partner requirements will be released if required.
All teams must leave this space available.