






2026 SEASON

TALENT CUP CLASS


NUMBER AND MOTORCYCLE LOGO GUIDELINE

SUIT LOGO GUIDELINE

COMPETITOR BULLETIN 14-2026




3.1" (80mm)
minimum



* minimum stroke is 0.75" (20mm)

** minimum space between numbers is 0.40" (10mm)



" (mm) minimum

2.75" (70mm) minimum

4.75" (120mm) minimum

000

1.75" (44.5mm) minimum

KRYMOR
MOTORCYCLES

10" (254mm)

2" (50.8mm) minimum

3" (76.2mm)

2.5" (63mm) minimum

DUNLOP



12" (305mm)

5.5" (140mm) minimum

DUNLOP

1.67" (42mm)

* minimum stroke is 0.75" (20mm)
 ** minimum space between numbers is 0.40" (10mm)



Blue: PMS 300 / Red: PMS 186 / White on Black Built to size: 140.5 x 38 mm



RIDER SUIT

ROAD TO MOTO GP:

SERIES PARTNER: 4.5" X 1.7"

MOTOAMERICA: 4" X 2"

DUNLOP [FRONT] : 4.82" X 1"

DUNLOP 10" X 2.03"

AMA/FIMNA: 5.5" X 1.5"

*THE SERIES PARTNER REQUIREMENTS WILL BE RELEASED IF REQUIRED.
ALL TEAMS MUST LEAVE THIS SPACE AVAILABLE